

Unloading boom with directional pulley

Metal box equipped with embedded light system

2-speed hand winch with brake - 2 300 lb capacity (1 043 kg)



Ramps  
NS-7010471

ATV loading ramps

Full length tie-down bar

Removable front & rear gates

### TRAILER • HAUL & DUMP KIT

DESCRIPTION	NO	QTY
• Metal frame	NS-702450	1
• Metal box 88" X 51 1/2" (2,24 m X 1,31 m)	NS-702452	1
• Unloading boom support	NS-7010433	1
• Unloading boom	NS-7010434	1
• Flat hook 5/16" (30 mm)	NS-702308	1
• Double-braided polyester cable 3/8" x 25' (9,5 mm X 7,62 m)	NS-7010410	1
• Hand winch with brake 2 300 lb (1 043 kg)	NS-702403	1
• Heavy duty trailer jack 2 000 lb (907 kg)	NS-7010426	1

### TRAILER • FORESTRY KIT

DESCRIPTION	NO	QTY
• Metal frame	NS-702450	1
• Protection grating	NS-702450-5	1
• Curved log post	NS-702450-6	4
• Loading mast	NS-702450-7	1
• Loading pivot	NS-702450-8	1
• Flat hook 5/16" (30 mm)	NS-702308	1
• Double-braided polyester cable 3/8" x 25' (9,5 mm X 7,62 m)	NS-7010410	1
• Hand winch with brake 2 300 lb (1 043 kg)	NS-702403	1
• V-Chain 8' (2,44 m)	NS-702401	1
• Heavy duty trailer jack 2 000 lb (907 kg)	NS-7010426	1

### TRAILER • COMPLETE KIT

DESCRIPTION	NO	QTY
• Metal frame	NS-702450	1
• Metal box 88" X 51 1/2" (2,24 m X 1,31 m)	NS-702452	1
• Protection grating	NS-702450-5	1
• Curved log post	NS-702450-6	4
• Loading mast	NS-702450-7	1
• Loading pivot	NS-702450-8	1
• Flat hook 5/16" (30 mm)	NS-702308	1
• Double-braided polyester cable 3/8" x 25' (9,5 mm X 7,62 m)	NS-7010410	1
• Hand winch with brake 2 300 lb (1 043 kg)	NS-702403	1
• V-Chain 8' (2,44 m)	NS-702401	1
• Boom extension for dumpbox	NS-7021090	1
• Heavy duty trailer jack 2 000 lb (907 kg)	NS-7010426	1

Spring-loaded swivel tow bar

Shock absorber springs


Boom extension for dumpbox

Movable protection grating

1 7/8" - 2" (4,8 cm - 5,1 cm) adjustable coupler

HD-Trailer jack 2 000 lb (907 kg)

Movable axle





**Loading Pivot**  
NS-702450-8



**Loading Pivot**



**Loading mast with V-Chain**



**Loading mast with directional pulley**

**25' x 3/8" (7,62 m X 9,5 mm) low-stretch double-braided polyester cable**  
**Breaking point: 4 000 lb (1 814 kg)**

**4 curved log post**

**Loading mast support (transport position)**

**Loading mast supports**

**48" (122 cm)**

**4-ply on-road/off-road tires (20.5 x 8.0-10)**

**TRAILER**

- Total length: 140" (3,56 m)
- Metal box inside measurements: 51 1/2" x 88" (1,31 m X 2,24 m)
- Load capacity: 1/2 cord (1,15 m<sup>3</sup>) 2 000 lb (907 kg)



**n o v a**  
**Jack**



**FOR THE FUN OF LOGGING**





**Skidding cone**  
NS-702302

### SKIDDING CONE

- Weight: 10 lb (4,5 kg)
- Diameter of opening: 20" (51 cm)
- Height: 26 1/2" (67 cm)

### SKIDDING KIT • ATV

DESCRIPTION	NO	QTY
• Skidding cone	NS-702302	1
• Kevlar cable 3/8" X 100' (9,5 mm X 30,5 m)	NS-7010409	1
• Flat hook 5/16" (30 mm)	NS-702308	1
• Chain-choker 8' (2,44 m)	NS-702301	1
• Pulling plate	NS-702307	1
• Corner block	NS-702306	1
• Automatic release	NS-702304	1
• Polyester choker 6' (1,83 m) X 1 ply	NS-7010415	1
• Storage reel	NS-702309	1



**Pulling plate**  
NS-702307



**Corner block**  
NS-702306



**Kevlar or polyester cable**  
NS-7010409 / 7010412



**Polyester choker**  
6' (1,83 m) X 1 ply  
NS-7010415



**Automatic release**  
NS-702304



**Storage reel**  
NS-702309



**Chain-choker**  
5 1/2' or 8' (1,68 m or 2,44 m)  
NS-702312 / 702301



**Flat hook** 5/16" (0,3 cm)  
NS-702308



**C-hook**  
NS-702310



**Safety hook**  
NS-702313

### SKIDDING KIT • CAPSTAN WINCH

DESCRIPTION	NO	QTY
• 2 000 lb capacity capstan winch (with hook and polyester choker)	NS-702311	1
• Polyester cable 3/8" X 100' (9,5 mm X 30,5 m)	NS-7010412	1
• Flat hook 5/16" (30 mm)	NS-702308	1
• Chain-choker 5 1/2" (1,31 m)	NS-702312	1
• Polyester choker 6' (1,83 m) X 1 ply	NS-7010415	1
• Corner block	NS-702306	1
• Skidding cone	NS-702302	1
• Storage reel	NS-702309	1

### CAPSTAN WINCH

- Engine: Tecumseh, 2 cycles, 50 cc
- Line speed: 22-34 ft/min (7-10 m/min)
- Winching capacity: 2 000 lb (907 kg)
- Weight: 17 lb (7,7 kg)



**Capstan winch**  
NS-702311





**Logging arch**  
NS-702300



**ATV continuous traction chains.**  
For 24 x 9.0-11 to 27 x 12.0-12 tires  
NS-702610 / 702615

<b>LOGGING ARCH KIT</b>		
<i>DESCRIPTION</i>	<i>NO</i>	<i>QTY</i>
• Logging arch	NS-702300	1
• 8' (2,44 m) chain-choker - Grade 70 with needle and C-hook	NS-702301	1

<b>LOGGING ARCH</b>	
• Width: 48" (1,22 m)	
• Height: 53" (1,35 m)	
• Length: 100" (2,54 m)	
• Weight: 150 lb (68 kg)	
• Load capacity: up to 24" (61 cm) diameter logs	



**Self-loading arch**

**4-ply off-road tires**  
(20.5 x 8.0-10)

**Spring-loaded swivel tow bar**

**1 7/8" - 2" (4,8 cm - 5,1 cm) adjustable coupler**



**Felling lever**  
31" (79 cm)  
NS-702203



**Lifting tong**  
8" (20 cm)  
NS-702206



**Lifting hook**  
NS-702205



**Measuring tape**  
50' (15 m)  
NS-702204



**Tool belt**  
NS-702201  
(acc. sold separately)